

09/912,774

-2-

PC10915A

Amendments to the Claims:

1. (Currently Amended) A pharmaceutical composition in particulate form, suitable for oral administration, ~~including comprising: a core comprising a pharmaceutically acceptable seed; a first layer containing eletriptan hydrobromide dispersed on the seed; and a water insoluble layer comprising a water permeable acrylic co-polymer, or a pharmaceutically acceptable salt thereof, with the core not containing an organic acid, and with the core being coated with a water insoluble, permeable coating consisting of one or more acrylic copolymer(s) containing trimethylammoniummethylmethacrylate groups and, optionally, one or more of a plasticizer, an anti-tacking agent or a wetting agent,~~ said composition being capable of achieving a sigmoidal pattern of controlled drug release.
2. (Currently Amended) The composition of claim 1, wherein said water-insoluble layer further comprising at least one of a plasticizer, an anti-tacking agent or a wetting agent~~the core contains eletriptan hydrobromide.~~
3. (Canceled)
4. (Canceled)
5. (Currently Amended) The composition of claim 1, wherein the acrylic copolymer comprises trimethylammoniummethyl-methacrylate groups~~the core is formed as a layer of eletriptan, or a pharmaceutically acceptable salt thereof, and, optionally, a binder on the surface of a seed.~~
6. (Original) The composition of claim 1, wherein the core has a diameter of from 0.2 to 2 mm.
7. (Original) The composition of claim 6, wherein the core has a diameter of from 0.5 to 1.4 mm.
8. (Original) The composition of claim 1, wherein the core contains from 10 to 90% W/W of eletriptan.

09/912,774

-3-

PC10915A

9. (Original) The composition of claim 8, wherein the core contains from 40 to 60% W/W of eletriptan.
10. (Original) The composition of claim 1, wherein the core includes eletriptan hydrobromide microcrystalline cellulose and lactose.
11. (Canceled)
12. (Canceled)
13. (Currently Amended) The composition of claim 1, wherein an additional protective layer is inserted between the core and the water-insoluble, permeable ~~coating~~ layer.
14. (Original) The composition of claim 13, wherein the additional protective layer includes a hydroxypropyl methylcellulose.
15. (Cancelled)
16. (Previously Presented) The composition of claim 15, wherein the acrylic copolymers are a mixture of 95:5, by weight.
17. (Currently amended) The composition of claim 1, wherein the water-insoluble, permeable ~~coating~~ layer has a thickness of from 10 to 100 microns.
18. (Currently amended) The composition of claim 17, wherein the water-insoluble, permeable ~~coating~~ layer has a thickness of from 40 to 80 microns.
19. (Currently amended) The composition of claim 1, wherein the water-insoluble, permeable ~~coating~~ layer includes acrylic copolymer(s) containing trimethylammoniummethacrylate groups, talc and triethyl citrate.
20. (Previously Presented) A pharmaceutical formulation comprising a pharmaceutically acceptable component which is capable of delivering eletriptan, or a pharmaceutically acceptable salt thereof, with a sigmoidal controlled release profile, into an aqueous solution buffered at pH 7.5 wherein (a) 5% by weight of the drug is released at a time point from 1.5 to 12 hours following addition, (b) 50% by weight of the drug is released

09/912,774

-4-

PC10915A

at a time point from 5 to 15 hours following addition and (c) 80% by weight of the drug is released at a time point from 6.5 to 20 hours following addition.

21. (Previously Presented) A pharmaceutical formulation comprising the pharmaceutical composition of claim 1 and a pharmaceutically acceptable component which is capable of delivering, at least in part by sigmoidal controlled drug release, a mean plasma concentration of eletriptan, in healthy volunteers, of greater than 10 ng/ml at 20 hours post-dosing whilst providing a peak mean plasma concentration of less than 100 ng/ml during the first 10 hours post-dosing.
22. (Original) The pharmaceutical formulation of claim 20 including one or more pharmaceutically acceptable excipient(s), diluent(s) or carrier(s).
23. (Currently Amended) The pharmaceutical formulation of claim 22, said formulation comprising a hard gelatine capsule.
24. (Original) The pharmaceutical formulation of claim 21 including one or more pharmaceutically acceptable excipient(s), diluent(s) or carrier(s).
25. (Currently Amended) The pharmaceutical formulation of claim 24, said formulation comprising a hard gelatine capsule.
26. (Cancelled)
27. (Currently Amended) A composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~ for use as 5-HT_{1B/1D} receptor agonist.
28. (Currently Amended) A composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~ for use in (a) the treatment of migraine or (b) the prevention of migraine recurrence.
29. (Original) A dual release formulation as claimed in claim 25 for use in the treatment of migraine and the prevention of migraine recurrence

09/912,774

-5-

PC10915A

30. (Currently Amended) The use of a composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~ in the manufacture of a medicament for the treatment of a disease for which a 5-HT_{1B/1D} receptor agonist is indicated.
31. (Currently Amended) The use of a composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~ in the manufacture of a medicament for (a) the treatment of migraine or (b) the prevention of migraine recurrence.
32. (Original) The use of dual release formulation as claimed in claim 25 in the manufacture of a medicament for the treatment of migraine and the prevention of migraine recurrence.
33. (Currently Amended) A method of treatment of a disease for which a 5-HT_{1B/1D} receptor agonist is indicated in a mammal, including a human, comprising administration to said mammal of a therapeutically effective amount of a composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~.
34. (Currently Amended) A method of (a) treatment of migraine or (b) prevention of migraine recurrence in a mammal, including a human, comprising administration to said mammal of a therapeutically effective amount of a composition as claimed in ~~any one of claims 1 to 22~~ or a formulation as claimed in ~~any one of claims 23 to 25~~.
35. (Original) A method of treatment of migraine and prevention of migraine recurrence in a mammal, including a human, comprising administration to said mammal of an effective amount of a dual release formulation as claimed in claim 25.
36. (Original) A method of administering eletriptan or a pharmaceutically acceptable salt thereof, to a mammal, including a human, which comprises delivering eletriptan into an aqueous solution buffered at pH 7.5 wherein (a) 5% by weight of the drug is released at a time point from 1.5 to 12 hours following addition, (b) 50% by weight of the drug is released at a time point from 5 to 15 hours following addition and (c) 80% by weight of the drug is released at a time point from 6.5 to 20 hours following addition.

09/912,774

-6-

PC10915A

37. (Original) A method of administering eletriptan or a pharmaceutically acceptable salt thereof, to a mammal, including a human, which comprises delivering, at least in part by sigmoidal controlled drug release, a mean plasma concentration of eletriptan, in healthy volunteers, of greater than 10 ng/ml at 20 hours post-dosing whilst providing a peak mean plasma concentration of less than 100 ng/ml during the first 10 hours post-dosing.
38. (Canceled)
39. (Canceled)
40. (Canceled)
41. (Currently Amended) A process for the preparation of a particulate composition as claimed in claim 1 ~~or claim 2~~, comprising (a) forming a core containing eletriptan, or a pharmaceutically acceptable salt thereof and (b) coating the core with a water-insoluble, permeable coating ~~consisting of~~ comprising one or more acrylic copolymer(s) containing trimethylammoniummethacrylate groups and, optionally, one or more of a plasticiser, an anti-tacking agent or a wetting agent.
42. (Currently amended) A process for the preparation of a particulate composition, as claimed in claim 1 ~~or 3~~, comprising (a) forming a core by layering eletriptan, or a pharmaceutically acceptable salt thereof, and, optionally, a pharmaceutically acceptable binder onto the surface of a pharmaceutically acceptable seed and (b) coating the core with a water-insoluble, permeable coating ~~consisting of~~ comprising one or more acrylic copolymer(s) containing trimethylammonium-ethylmethacrylate groups; and, optionally, one or more of a plasticiser, an anti-tacking agent or a wetting agent.